




الوفولد لتجارة المعنوعات المعدنية و الزجاج ذ.م.م

ULTRAVIEW

SLIM SLIDING SYSTEM



The **UltraView Sliding Door System** is a thermal break Aluminium system, designed to deliver exceptional energy efficiency, durability, and aesthetics. Engineered with ultra-slim profiles, it maximizes natural light while ensuring superior insulation and seamless indoor-outdoor transitions.



System Features:

Thermal Break Technology – Enhanced insulation reduces heat transfer, improving energy efficiency.


Minimalist Design – Ultra-slim with **embedded frame** and **25mm interlock** for a sleek, modern look.

Water Gutter System – Efficient drainage design prevents water accumulation.


Available Cover Options – Choice of **ceramic tile cover** or **aluminum cover** for a refined finish.

System Limitations – Each sash can reach up to **5 meters in height** and **3 meters in width**, making it perfect for grand architectural designs.


Bottom Rail Aluminium Cover Style




AF-XT1803F
Floating Rail
Weight : 0.97 kg/m



AF-XT1806F
Small Floating Rail
Weight : 0.18 kg/m



AF-XT1807
Large Floating Rail
Weight : 0.43 kg/m



AF-XT1818
Ceramic Tile Floating Rail
Weight : 1.10 kg/m




AF-XT1810
Ceramic Panel Side Covered
Weight : 0.19 kg/m



AF-XT1815
Ceramic Tile Middle Cover
Weight : 0.43 kg/m


Bottom Rail CERAMIC TILE Cover Style

Two Track Smart Electric Style




AF-CT1798F2-E

Panoramic Top Frame , Side Frame
Weight : 3.10 kg/m



AF-XT1863

Smart Rail Middle Attached Profile
Weight : 1.55 kg/m



AF-CT1682F


Smart Attached Upper Rail
Weight : 4.30 kg/m



AF-XT1864


Motor Plate
Weight : 0.86 kg/m

Two Track Universal Profiles




AF-CT1798F2

Top Frame , Side Frame
Weight : 3.54 kg/m




AF-CT1805F2

Embedded Double Bottom Track
Weight : 3.81 kg/m




AF-CT1799F2

Double Bottom Track
Weight : 3.74 kg/m




AF-XT1913

Vertical Interlock Sash With Strong Handle
Weight : 2.65 kg/m




AF-XT1740E

Invisible Door Cover
Weight : 0.90 kg/m




AF-CT1802F

Bottom Sash
Weight : 1.87 kg/m




AF-CT1801F

Top Sash
Weight : 1.19 kg/m




AF-CT1856F

Vertical Sash With Handle
Weight : 3.27 kg/m




AF-XT1804

Drain / Sink
Weight : 1.35 kg/m




AF-XT1877

Water Drain Cover/Sink Cover
Weight : 0.65 kg/m



AF-XT1892

Lock Slot
Weight : 0.59 kg/m



AF-XT1893



Double- Open Vertical Sealing
Weight : 0.60 kg/m




AF-XT1816

Double- Side Frame Cover
Weight : 0.37 kg/m


Two Track Assembly Diagram




(smart electric double open)




Three Track Universal Profiles




AF-CT1882F3
Top Frame, Side Frame
Weight : 5.40 kg/m



AF-CT1813F3
Three Bottom Rail
Weight : 5.71 kg/m




AF-CT1805F3
Embedded Three Bottom Rail
Weight : 5.78 kg/m




AF-XT1817
Side Frame mid-Cover
Weight : 0.36 kg/m


Three Track Smart Electric Style



AF-CT1881F3
Smart Three Upper Rail
Weight : 4.04 kg/m






AF-CT1882F3
Smart Attached Three Upper Rail
Weight : 5.77 kg/m




AF-XT1863
Smart Rail Middle Attached Profile
Weight : 1.55 kg/m


THREE Track Assembly Diagram



Four Track Sliding Door Profiles




AF-CT1811F4
Top Frame, Side Frame
Weight : 6.70 kg/m




AF-CT1813F4
Four Bottom Rail
Weight : 7.00 kg/m

Five Track Sliding Door Profiles




AF-CT1811F5
Top Frame, Side Frame
Weight : 8.40 kg/m




AF-CT1813F5
Five Bottom Rail
Weight : 8.85kg/m

FOUR Track Assembly Diagram



FIVE Track Assembly Diagram





AFH-08550

Steel Bottom Track Roller
(Load- Bearing Wheels 150 kg/pcs)
2-8 pcs/panel



AFH-08549

Top Track Roller
(Positioning Wheel)
2 pcs/panel



AFH-08556

I Shape Lock With Key
(Multi – Point Lock)



AFH-03914

12.4*1.0*1.2 Corner For Outer
Frame Connection



AFH-08557

Plastic Accessories For Two Track



AFH-08557

Plastic Accessories For Two Track



AFH-05238

1.8 Floor Drain Cover



AFH-08555

5*8 Brush Strip For Bottom Track



AFH-00162

Stainless Steel Rail For Bottom
Track



MOTOR 2#

Electric Motor- Load
Bearing 150/300/750kg



MOTOR 2#

Smart Door and Window
Controller 3C



AFH-08565

Smart Lock



AFH-M1001B

Special Drive Belt For Motor 2#



AFH-08551

16.5*12.4 Bracket For Outer Frame
Connection



AFH-08554

Sealing Rubber For Vertical
Interlock Frame



AFH-08559

Plastic Anti-collision Strip Base For
Vertical Interlock Frame



AFH-08553

Anti-collision Rubber For Vertical
Interlock Frame




AFH-08567

Plastic Strip For Vertical Handle
Frame Lock Pole



AFH-08552

Sealing Anti-collision Rubber Strip
For Vertical Outer Frame



AFH-08560

Plastic Covered For Vertical Outer
Frame Lock Slot



ALUFOLD

METALS & GLASS TRADING L.L.C

ALUFOLD METALS & GLASS TRADING L.L.C

Jurf industrials Zone 1

Ajman-UAE

Tel.: 06 529 3277

Mobile : 050 3795051

E mail: info@alufoldmetals.com

Website : www.alufoldmetals.com
