




FLEXIFOLD

FOLDING DOOR SYSTEM



**Non-Thermal
Break**




**Security lock
applicable**



**Manual
Operation**



**Easy
installation**



**Glazing
8mm & 24mm**

ALUFOLD Metals and Glass Trading L.L.C is a leading provider of high-quality and innovative aluminium folding door systems for both residential and commercial customers. With years of experience in the industry, your company has built a reputation for excellence in providing functional and aesthetically pleasing folding doors that meet the unique needs and preferences of your customers.



ALUFOLD FOLDING DOORS SYSTEM is designed to enhance the functionality and beauty of any building, providing a seamless transition between indoor and outdoor spaces while maximizing natural light and ventilation. Available in a range of sizes, configurations, and finishes, your folding door systems can be customized to suit any architectural style and building type, from modern homes to commercial buildings.

In addition to your outstanding products, your company is also committed to delivering exceptional customer service, providing expert advice and support to your customers throughout the entire buying and installation process. Your team of experts is dedicated to ensuring that your customers are satisfied with their folding door solutions, from the initial consultation to the final installation. Overall, ALUFOLD is dedicated to providing the highest quality folding door solutions, excellent customer service, and environmental sustainability, all while ensuring the complete satisfaction of your customers.

VISION :
To create a culture of excellence, innovation, and teamwork within our company, and to attract and retain the best talent in the industry.

MISSION:
To provide high-quality and innovative aluminium systems that meet the needs and exceed the expectations of our customers.


PRODUCT DESCRIPTION

FLEXIFOLD folding framed system where doors are united with hinges and top so that pulling the first door will lead the others together.

The doors are applied to the track rail which is fixed on top and slides using special roller mechanisms that provide smooth and quiet movement.



SPECIFICATION & TECHNICAL PARAMETERS



Aluminium

Non-Thermal Break



Security

Security lock applicable




Operation

Manual Operation




Top bearing roller ensures high safety



Safety

Shoot bolts or top and bottom make leaves locked tightly



Easy installation

Top Roller and Bottom Guiding

Glass Thickness

8 to 24mm

MAX. Sash width

800mm

Max. Sash Height

3000mm

MAX. Sash Weight

80 KG

MIN. Visible Width

36mm


Overall system Depth

70mm

The Max. number of foldable shutters in one direction is 7 shutters.

OUR SERVICE

Our service starts with an inquiry stage where our team works with the customer together all the necessary information and requirements needed to prepare a quotation.



Once the quotation is approved, our team prepares shop drawings for approval, which helps the customer visualize the final product before manufacturing begins.

Our team prepares the product configuration and provides a cutting list for the aluminium profile, which ensures the efficient use of materials and reduces waste. Additionally, a complete manual for the product is provided to ensure proper installation and maintenance.




Our service also includes training for fabricators, which ensures that the final product is manufactured to the highest quality standards.






Finally, your team conducts site inspections during the installation stage, which guarantees that the product is installed correctly and meets the customer's expectations.

Overall, Our service provides a comprehensive solution for customers who are looking for a high-quality and reliable provider for their aluminium profile products.

OPENING TYPES











There are various configurations, and you can choose whether your doors fold left or right, open either inwards or outwards, depending on your preference.






















i Do not hesitate to ask about other Doors Configurations


ALUMINIUM PROFILES







HARDWARE & EPDM GASKET


				
FXZ11	FXZ12	T28D	MZS20	FXZ1B/5B
HINGE	Pulling Hinge	Slim Handle	Double Handle	WHEEL SET
				
FXZ15/14-1	MSC2811	KMB180A	AUSTA 70MM	CDQ20
SINGLE WHEEL	Door Lock	Lock Plate	CYLINDER	Gear Box
		EPDM GASKET		
FXZ6	D.S			
Locking Kit	Sash Stopper			
				
G-2526	G29/65A	G 5716	G 146	G45/20A
Bottom & Top Sash GASKET	FRAME GASKET	LOCK GASKET	Outer Glazing Gasket	Inner Glazing Gasket


































ALUFOLD

METALS & GLASS TRADING L.L.C

ALUFOLD METALS & GLASS TRADING L.L.C

Jurf industrials Zone 1

Ajman-UAE

Tel.: 06 529 3277

Mobile : 050 3795051

E mail: info@alufoldmetals.com

Website : www.alufoldmetals.com
